

# **Pre-made Reporter Lentivirus for Brain Tissue/ Cells**

Cat#	Product Name	Amounts
LVP1053-P	CaMKII -GFP (Puro)	
or: LVP053-P-PBS	Lentivirus	
LVP1054-P	CaMKII -RFP (Puro)	
or: LVP054-P-PBS	Lentivirus	
<u>LVP1055-P</u>	CaMKII -Luciferase (Puro)	
or: LVP055-P-PBS	Lentivirus	
LVP1056-P	CaMKII - <mark>RIuc</mark> ( <mark>Puro</mark> )	
or: LVP056-P-PBS	Lentivirus	
<u>LVP1053-B</u>	CaMKII - GFP ( <mark>Bsd</mark> )	
or: LVP053-B-PBS	Lentivirus	
<u>LVP1054-B</u>	CaMKII - RFP ( <mark>Bsd</mark> )	
or: LVP054-B-PBS	Lentivirus	
<u>LVP1055-B</u>	CaMKII - Luciferase (Bsd)	200ul, $\sim 1 \times 10^7$ IFU/mL
or: LVP055-B-PBS	Lentivirus	in DMEM containing
<u>LVP1056-B</u>	CaMKII - Rluc (Bsd)	10% FBS
or: LVP056-B-PBS	Lentivirus	10% гдз
<u>LVP1053-N</u>	CaMKII - GFP (Neo)	
or: LVP053-N-PBS	Lentivirus	Or
LVP1054-N	CaMKII - RFP (Neo)	
or: LVP054-N-PBS	Lentivirus	200ul, $\sim 1 \ge 10^8$ IFU/mL
LVP1055-N	CaMKII - Luciferase (Neo)	in PBS solution
or: LVP055-N-PBS	Lentivirus	
LVP1056-N	CaMKII - Rluc (Neo)	
or: LVP056-N-PBS		
LVP1053-R	CaMKII - GFP (RFP)	
or: LVP053-R-PBS		-
LVP1055-R	CaMKII - Luciferase (RFP)	
or: LVP055-R-PBS		-
LVP1056-R	CaMKII - Rluc (RFP)	
or: LVP056-R-PBS		-
LVP1054-G	CaMKII - RFP ( <mark>GFP</mark> )	
or: LVP054-G-PBS	Lentivirus CaMKII - Luciferase (GFP)	4
LVP1055-G		
or: LVP055-G-PBS LVP1056-G	Lentivirus	4
	CaMKII - Rluc (GFP)	
or: LVP056-G-PBS	Lentivirus	

**Storage:** <-70 °C, avoid repeat freeze/thaw cycles. Stable for >6 months.

# Introduction:

**Lentiviral system** is a gene delivery tool using lentivectors for gene expression or knockdown. GenTarget's lentivector system is Human Immunodeficiency Virus-1 (HIV) based plasmids for gene expression and knockdown. The lentivectors are used to generate lentiviral particles



(lentivirus) that can be transduced into almost all kinds of mammalian cells, including stem cells, primary cells, and non-dividing cells both *in vivo* and *in vitro*. Lentiviral Particles stably integrate into the transduced cells' genome for long term expression, making it a great gene transfer agent.

# **CaMKII Promoter:**

Calcium / Calmodulin-dependent protein Kinase II (CaMKII) is a serine/threoninespecific protein kinase that is regulated by the Ca2+/calmodulin complex. CaMKII is involved in many signaling cascades that important to learning and memory. The CaMKII's promoter is a neuron-specific promoter. Its expression restricted to excitatory neurons in the neocortex and hippocampus, also pyramidal neurons.

CaMKII promoter were used for transgene expression to obtain preferential gene expression in CNS for the excitatory neuron populations. It provides a great tool for the investigation in the diversity of cell types within a given brain structure.


#### **Product Principle:**

GenTarget developed a set of reporting lentivirus for selectively labeling Brain cancer cells. Those reporting lentivirus has a **luminescent report** or a **fluorescent report** under the **native promoter of human CAMKII gene** that specifically expressed in Brain tissue or cells. Those reporter lentivirus are best suitable for for the investigation in in vivo and in vitro physiological studies in which visualization of CaMKII- neuronal populations is required, as well as for the signal pathway research on CAMKII promoter regulation.

Those reporting lentivirus also constitutively express a fluorescent selection marker or an antibiotic selection marker under the RSV promoter (Rous Sarcoma Virus Promoter) which is a moderate to strong promoter in most cell types. This selection marker is used to select the lentivirus infected cells (to generate the stable cell lines) via antibiotic killing or fluorescent cell sorting. It also services as internal reference for virus transduction efficiency when a fluorescent marker is under the RSV promoter (wherever the RSV promoter is active in assay cell type). See the scheme below for lentivector's core expression cassette.







The premade, ready-to-use reporter lentivirus provides a much easier tool to specifically labeling or reporting for human or mouse Brain neuron cells *in vitro* and *in vivo* via the luciferase signal or fluorescent signal.

Lentivirus are HIV-based, pseudotyped with VSVG envelope protein, produced in 293T cells with the 3rd generation lentivirus Bio-safety features. All particles were tested to be free bacterial and mycoplasma contamination. Virus titers were tested lot by lot.

## Key Application for cell specific reporter Lentivirus:

- 1. Label specific cell type or create specific reporter cell line which provide a tool to monitor the specific cell type in vitro and in vivo;
- 2. measure the specific promoter strength in different cell types;
- 3. Signal pathway research on specific promoter regulation.

#### **Product Formats**:

The pre-made lentivirus provided in two formats:

- 1. Packaged in 10% of FBS in DMEM containing 10% FBS and 60ug/ml of polybrene (10x);
- 2. Particles were concentrated and buffer exchanged in PBS without any human or animal origin components. The virus in PBS are used for any cell types that requires non-serum in the culture medium, or best for the hard-to-infect cell types.

The lentivirus are ready and easy to use, simply add 50ul into one well of your cell culture in 24-well plate, and select or sort the positive transduced cells at 2-3 days post virus transduction (for sensor cell line assay). Or simply go for Estrogen receptor signal induction without the selection (for transient assay). The readout can be easily monitored by luciferase assay or via the Fluorescent microscope or readers depending on product report type.



For more details about premade particles, please see <u>FAQ for pre-made</u> <u>lentiviral particles</u> (.pdf).

## **Transduction Protocols:**

**Note:** Pre-made lentivirus is provided ready to use, so it can be simply added into your cell culture; the amount of virus to add depends on cell type. For quick transduction, add 50 µl of virus into each well of 24-well-plate where cell density is 50% to 75%. After 72 hours (no need to change medium), visualize positive transduction rate by fluorescence microscopy (when applicable). For stable cell line generation, pass cells into medium containing antibiotic for selection, or perform fluorescence cell sorting.

#### **Day 0**:

Seed cells in complete medium at the appropriate density and incubate overnight.

**Note:** at the time of transduction, cells should be 50%-75% confluent. For example, seed HeLa cells at  $0.5 \times 10^{5}$ /ml x 0.5ml in a well of a 24-well plate.

Day 1:

- Thaw the pre-made lentiviral stock at room temperature and add the appropriate amount of virus stock to obtain the desired MOI.
- Return cells to 37°C, CO<sub>2</sub> incubator.

**Note:** Try to avoid freezing and thawing. If you do not use up all virus at one time, you may re-freeze the virus at -80  $^{\circ}$ C for future use; virus titer will decrease by ~10% for each freeze/thaw cycle.

Day 3:

At 2 to 5 days (depends upon promoter and cell types) after transduction, check the fluorescent signal under fluorescence microscopy or by flow cytometry (FACS or Guava), or measure the luciferase activity via luciferase assay.

## Day 3 +:

Sort transduced cells by FACS, and select for antibiotic resistance. A pilot experiment should be done to determine the antibiotic's kill curve for your specific cell line (refer to the pertinent literature on generation of stable cell lines). The selected stable cells will be used for in vitro or in vivo application as pooled or single colony selcted stable cell line.



## **Safety Precaution:**

Gentarget lentiviral particles adapts must advanced lentiviral safety features (using the third generation vectors with self-inactivation SIN-3UTR), and the premade lentivirus is replication incompetent. However, please use extra caution when using lentiviral particles. Use the lentiviral particles in Bio-safety II cabinet. Ware glove all the time at handling Lentiviral particles! Please refer CDC and NIH's guidelines for more details regarding to safety issues.

in the CNS

#### **References:**

- Brain Res. 2013 Jun 26; 1518: 9–25.
- Biological & Pharmaceutical Bulletin. 28 (8): 1342–54.
- Nature Protocols 5, 439–456 (1 March 2010)

#### Warranty:

**This product is for research use only**. It is warranted to meet its quality as described when used in accordance with its instructions. GenTarget disclaims any implied warranty of this product for particular application. In no event shall GenTarget be liable for any incidental or consequential damages in connection with the products. GenTarget's sole remedy for breach of this warranty should be, at GenTarget's option, to replace the products.

#### Note: Filter wavelength settings:

GFP filter: ~Ex450-490 ~Em525; RFP filter: ~Ex545 ~Em620;

Attachment: GenTarget's pre-made lentivirus product categories.

Product Category	Product Description (please click into each category's page)
<u>Pathway</u> <u>Reporter</u>	Repoter Lentivirus for all kinds of pathway screening assays
Cell Immortalization	Lentivirus for cell immortalization: Large T-antigen, hTERT, EBNA1/EBNA2, HpV16-E6/E7, Adenovial E1A, Kras_G12V, HOXA9, et al.
<u>ImmunoOncology</u> <u>Research</u>	Lentivirus products for immuno therapy research: CAR and TCR; Assay Cell Lines for T-cell targeted killing assay and other cell-based assays; over-expression lentivirus products for the immune response targets; Cell surface antigens (CDs); immune checkpoint / Receptors; CRISPR gene Repair and knock-IN lentivirus;



# **GenTarget Inc**

Product	Product Description	
Category	(please click into each category's page)	
	CRISPR knockout lentivirus;	
<u>CAR-T, TCR</u> <u>Lentivirus</u>	<b>CARs</b> Lentivirus: Anti-CD19 /CD20 /CD22 /BCMA /hHER2 /HLA-A2 /TGFβ; <b>TCRs</b> : MART-1/ NY-ESO1/ CD1d-α-GalCer/ TRαV3-F2A-TRβV5-6;	
<u>CRISPR Gene</u> <u>Editing</u>	Preamde lentivirus express humanzied wild-type <b>Cas9</b> endonuclease, the <b>dCas9</b> , gRNAs, <b>CRISPR</b> gene editing research	
Epigenomic: CRISPRi and CRISPRa	"dCas9-Protein" fusion Lentivirus for epigenomic modification, resulted in CRISPR interference (CRISPRi) or activation (CRISPRa).	
<u>Cell-Specific</u> <u>Reporter</u>	a set of reporter lentiviruses to express a luminescence or fluorescent reporter (firefly Luciferase, Renilla luciferase, RFP or GFP fluorescent marker) under a tissue specific promoter	
Infectious Antigens	Llentivirus that express all kinds of infectious antigens with C-term 6His-tag.	
<u>Virus Like</u> <u>Particles (VLP)</u>	Lentiviral Like Particles, pseudo-typed with a different envelope proteins.	
Non-integrating LV	Integration Defective Lentivirus, express different targets for transient expression without the unwanted insertional mutagenesis.	
<u>shRNA</u> <u>Knockdown</u>	Knockdown verifeid and customized shRNA lentivirus for target knockdown,	
<u>microRNA</u> lentivirus	Premade lentivirus expression human or mouse <b>precursor miRNA</b> . And <b>anti-miRNA</b> lentivector and virus for human and mouse miRNA.	
<u>Anti-miNA</u> <u>lentivirus</u>	Pre-made lentivirus expression a specific anti-miRNA cassette.	
Human and mouse ORFs	Premade lentivirus expressin a <b>human, mouse or rat</b> gene with RFP-Blastididin fusion dual markers.	
Luciferase expression	Premade lentivirus for all kinds of luciferase protein expression: firefly and Renilla, Red-Luc and more, with different antibiotic selection markers.	
Fluorescent Markers	Lentivirus express all commonly used fluorescent proteins: GFP, RFP, CFP, BFP YFP, niRFP, unstable GFP	



# **GenTarget Inc**

Product	Product Description	
Category	(please click into each category's page)	
	and others.	
Luminescent	Lentivirus express Nano-Latern as Bio-probes for in vivo	
Imaging	imaging of sub-cellular structural organization and	
	dynamic processes in living cells and organisms	
Sub-cellular	Lentivirus contain a well-defined organelle targeting	
Imaging	signal fusioned to a fluorescent protein, great tools for	
	live-cell imaging and for dynamic investigation of sub-	
	cellular signal pathways.	
<u>Cytoskeleton</u>	A fluorescent marker (GFP, RFP or CFP) fusion with a	
<u>Imaging</u>	cellular structure protein, provides a convenient tool for	
	visualization of cytoskeletal structure	
Unstable GFP	Lentivirus express the the destabilized GFP (uGFP) which	
	provides fast turnover responses in signal pathway	
	assay and in knockdown / knockout detection	
near-infrared RFP	The near-infrared Red fluorescent (niRFP) expression	
	Lentiviurs provides the whole-body images with better	
	contrast and brighter images	
Fluorescent-ORF	Pre-made lentivirus expression a "GFP/RFP/CFP-ORF"	
fusion	fusion target.	
CDE	Premade lentivirus for expressing <b>nuclear permeant</b>	
CRE recombinase	<b>CRE</b> recombinase with different flurescent and antibiotic	
	markers.	
CRE, Flp ColorSwtich	Lentivirus expressing "LoxP-GFP-Stop-LoxP-RFP" or "FRT-GFP-Stop-FRT-RFP" cassette, used to monitor the	
	CRE or Flp recombination event in vivo.	
	lentivirus expressing SEAP under different promoters	
SEAP Reporter	(TetCMV, EF1a, CAG, Ubc, mPGK, Actin-beta or a signal	
	pathway responsive promoter),	
	Premade lentivirus expressin TetR (tetracycline	
TetR Repressor	regulator) protein, the repressor protein for the	
	inducible expression system.	
	rtTA binds to the tetracycline operator element (TetO) in	
rtTA Expression	the presence of doxycycline (Dox). Used for Tet-On /OFF	
	inducible system.	
	Premde lentivirus for human and mouse iPS (Myc,	
iPS factors	NANOG, OCT4, SOX2, FLF4) factors with different	
	fluorescent and antibitoic markers	



# **GenTarget Inc**

Product Category	Product Description (please click into each category's page)
LacZ expression	Express different full length <b>β- galactosidase</b> (lacZ) with different selection markers
	Premade negative control lentivirus with different
Negative control	markers: serves as the negative control of lentivurs
<u>lentiviruses</u>	treatment, for validation of the specificity of any
	lentivirus target expression effects.
Other Enzyme	Ready-to-use lentivirus, expressing a specific enzymes
expression	with different selection markers.
<u>Ultra titer</u>	Ultra-titer lentivirus used for the hard-to-transduced
<u>lentivirus</u>	cells and for in vivo manipulation of sperm cells, or stem
	cells.